

Ecology is an equal opportunity agency. If you require this publication in an alternative format, please contact the Spills Program at (360) 407-7455 (voice) or (TTY) at 711 or 1-800-833-6388.

# SPILL RESPONSE CONTACT SHEET

Req	uired Notifications For Ha	zardous Substance or Oil Spills	
		(8	00) 424-8802
In Oregon:		`	
Department of Emergen	cy Management	(8	00) 452-0311
In Washington:	<del>-</del>	`	•
_	t Division	(8	00) 258-5990
		(4	
		(3	
Department of Ecology	Southwest Regional Office		00) 407-0200
S. Coast Guard		Lower Elwha Klallam Tribe	
tional Response Center	(800) 424-8802	Tribal Office	(360) 452-8471
arine Safety Office Puget Sound:		After Hours Emergencies	(360) 417-2259
Watchstander	(206) 217-6232		
Safety Office	(206) 217-6232	Makah Tribe	
arine Safety Office Portland:		Tribal Office	(360) 645-2201
Watchstander	(503) 240-9301	After Hours Emergencies	(360) 645-2701
Safety Office	(503) 240-9379		
cific Strike Team	(415) 883-3311	Federal O.S.R.O./	
District 13:	(0.00, 0.00, 7.1.2	<b>State Approved Response Co</b>	ontractors
MEP/drat	(206) 220-7210	All Out Indust. & Env. Services	(360) 414-8655
Command Center	(206) 220-7001	Certified Cleaning Services, Inc.	(253) 536-5500
Public Affairs	(206) 220-7237	Clean Sound Cooperative, Inc.	(425) 783-0908
Vessel Traffic Service (VTS)	(206) 217-6050	Cowlitz Clean Sweep, Inc.	(360) 423-6316
		FOSS Environmental	(800) 337-7455
nvironmental Protection Age		Global Diving and Salvage	(206) 623-0621
gion 10 Spill Response	(206) 553-1263	Guardian Industrial Services, Inc.	(253) 536-0455
ashington Ops Office	(360) 753-9083	Island Oil Spill Association	(360) 378-5322
egon Ops Office	(503) 326-3250	Matrix Service, Inc.	(360) 676-4905
nho Ops Office	(208) 334-1450	MSRC	(425) 252-1300
CRA/ CERCLA Hotline	(800) 424-9346	National Response Corporation	(206) 340-2772
blic Affairs	(206) 553-1203	, P	. ,
ational Oceanic Atmosphere	Administration	Washington State	(0.40) 10= 10:1
ientific Support Coordination	(206) 526-6829	Department of Ecology Headquarters	
eather	(206) 526-6087	Southwest Region	(360) 407-6300
	(200) 320-0001	Northwest Region	(425) 649-7000
anadian		Central Region	(509) 575-2490
anadian arine Emergency Ops/Vessel Traffic	(604) 666 6011	Eastern Region	(509) 456-2926
vironmental Protection	(604) 666-6011 (604) 666-6100		(2.40) == 1.0===
C. Environment	(604) 356-7721	Department of Fish and Wildlife	(360) 534-8233
C. EHVIIOHIIICH	(004) 330-7721	F	(2(0) 420 0(22
an auton ant of Itau		Emergency Management Division	(360) 438-8639
epartment of Interior	(502) 221 (157		(800) 258-5990
vironmental Affairs	(503) 231-6157	State Detuck	
	(503) 621-3682	State Patrol	(105) 155 7700
C N		Bellevue	(425) 455-7700
S. Navy		Tacoma	(253) 536-6210
val Shipyard	(360) 476-3466	Bremerton	(360) 478-4646
val Base Seattle	(360) 315-5440	0 84.4	
pervisor of Salvage	(202) 695-0231	Oregon State	(502) 220 5722
rmy Corne of Engineers		Department of Environmental Qualit	y (503) 229-5733
rmy Corps of Engineers zards to Navigation	(206) 764-3400	Emergency Management	(503) 378-6377
zarus to mavigation	(200) /04-3400		(800) 452-0311
mestown S'Klallam Tribe			
	(360) 683-1109		
ibal Office	(300) 003-1109		

#### HOW TO USE THIS GEOGRAPHIC RESPONSE PLAN

### Purpose of Geographic Response Plan (GRP)

This plan prioritizes resources to be protected and allows for immediate and proper action. By using this plan, the first responders to a spill can avoid the initial confusion that generally accompanies any spill.

Geographic Response Plans are used during the emergent phase of a spill which lasts from the time a spill occurs until the Unified Command is operating and/or the spill has been contained and cleaned up. Generally this lasts no more than 24 hours. The GRPs constitute the federal on-scene coordinators' and state on-scene coordinators' (Incident Commanders) "orders" during the emergent phase of the spill. During the project phase, the GRP will continue to be used, and the planned operation for the day will be found in the Incident Action Plan's Assignment List (ICS Form 204). The Assignment List is prepared in the Planning Section with input from natural resource trustees, the Incident Objectives (ICS Form 202), Operations Planning Worksheet (ICS Form 215), and Operations Section Chief.

### **Strategy Selection**

Chapter 4 contains complete strategy descriptions in matrix form, response priorities, and strategy maps. The strategies depicted in Chapter 4 should be implemented as soon as possible, following the priority table in Section 2 with the "Potential Spill Origin" closest to the actual spill origin. These strategy deployment priorities may be modified by the Incident Commander(s) after reviewing on scene information, including: tides, currents, weather conditions, oil type, initial trajectories, etc.

It is assumed that control and containment at the source is the number one priority of any **response.** If, in the responder's best judgment, this type of response is infeasible then the priorities laid out in Chapter 4, Section 2 take precedence over containment and control.

It is important to note that strategies rely on the spill trajectory. A booming strategy listed as a high priority would not necessarily be implemented if the spill trajectory and booming location did not warrant action in that area. However, the priority tables should be followed until spill trajectory information becomes available, and modifications to the priority tables must be approved by the Incident Commander(s).

The strategies discussed in this GRP have been designed for use with persistent oils and may not be suitable for other petroleum or hazardous substance products. For hazardous substance spills, refer to the Northwest Area Contingency Plan, Chapter 7000.

#### Standardized Response Language

In order to avoid confusion in response terminology, this GRP uses standard National Interagency Incident Management System, Incident Command System (NIIMS, ICS) terminology and strategy names, which are defined in Appendix A, Table A-1 (e.g. diversion, containment, exclusion).

ii March 2003

# Strait of Juan de Fuca Geographic Response Plan

Record of Changes

	Record of Changes				
Date	Change Number	Summary of Changes	Initials of person making change		
July 1, 1993	Original Release	N/A	N/A		
March 15, 1996	1 <sup>st</sup> Change	Replacement of document - includes new chapters and revised Chapter 4 based on field verification.			
March 2003	2 <sup>nd</sup> Change	and revised Chapter 4 based on field verification.  Update of Chapter 4 using GIS based maps, and new priority tables based on trajectory modeling.	D Davis		

# **Table of Contents**

Spill Response Contact Sheet	i
How To Use This Geographic Response Plan	
Record of Changes	
1. Introduction: Scope of this Project	1-1
2. Site Description	
2.1 Physical Features	2-1
2.2 Hydrology	2-1
2.3 Currents and Tides	2-1
2.4 Winds	2-2
2.5 Climate	2-2
3. Reference Maps	
Strait of Juan de Fuca Key Map - Strategy Locations	3-1
4. General Protection/Collection Strategies	
4.1 Chapter Overview	4-1
4.2.1 Potential Spill Origins Map	4-2
4.2.2 Booming Strategy Priority Tables	4-3
4.3.1 Proposed Booming and Collection Strategies: Maps	4-8
4.3.2 Proposed Booming and Collection Strategies: Matrices	4-18
5. Shoreline Information (3/15/96 version)	
5.1 Shoreline Types and Sensitivity	5-1
5.2 Shoreline Type Maps	5-2
5.3 Oil Countermeasure Matrix (March 2003 version)	5-12
6. Sensitive Resource Description (3/15/96 version)	
6.1 Fish and Wildlife	6-1
6.2 Other Resources	6-2
6.3 Flight Restiction Zones	6-3
6.4 Hazing	6-3
6.5 Flight Restiction Zones/ Sensitive Wildlife: Maps & Matrices	6-4
6.6 Fish and Shellfish Data	6-25
7. Logistical Information (3/15/96 version)	
7.1 Logistical Support	7-1
Appendices	
Appendix A: Summary of Protection Techniques	A-1
Appendix B: Original Geographic Response Plan Contributors	
Appendix C: Geographic Response Plan Comments/Corrections/Suggestions	

## Strait of Juan de Fuca, Washington

### GEOGRAPHIC RESPONSE PLAN

#### 1. INTRODUCTION: SCOPE OF THIS PROJECT

Geographic Response Plans are intended to help the first responders to a spill avoid the initial confusion that generally accompanies any spill. This document serves as the federal and state on-scene-coordinators "orders" during a spill in the area covered by this GRP (see Chapter 3 for area covered). As such, it has been approved by the U.S. Coast Guard Marine Safety Office and the Washington State Department of Ecology Spills Program. Changes to this document are expected as more testing is conducted through drills, site visits, and actual use in spill situations. To submit comments, corrections, or suggestions please refer to Appendix C.

GRPs have been developed for the marine and inland waters of Washington, Oregon, and Idaho. They are prepared through the efforts and cooperation of the Washington Department of Ecology, Washington Department of Fish and Wildlife, Oregon Department of Environmental Quality, Idaho State Emergency Response Commission, the U.S. Coast Guard, the Environmental Protection Agency, tribes, other state and federal agencies, response organizations, and local emergency responders.

GRPs were developed through workshops involving federal, state, and local oil spill emergency response experts, response contractors, and representatives from tribes, industry, ports, environmental organizations, and pilots. Workshop participants identified resources which require protection, developed operational strategies, and pinpointed logistical support. A similar process has been used for major updates.

Following the workshops, the data gathered was processed and reproduced in the form of maps and matrices which appear in Chapters 4 through 6. The maps in Chapters 5 and 6 were generated using Canvas. Maps for Chapter 4 were generated using ArcView GIS. The matrices were created using MS Excel, and the balance of each GRP was produced using MS Word.

The first goal of a GRP was to identify, with the assistance of the Washington State Natural Resource Damage Assessment Team, resources needing protection; response resources (boom, boat ramps, vessels, etc.) needed, site access and staging, tribal and local response community contacts, and local conditions (e.g. physical features, hydrology, currents and tides, winds and climate) that may affect response strategies. Note that GRPs only address protection of sensitive **public** resources. It is the responsibility of private resource owners and/or potentially liable parties to address protection of private resources (such as commercial marinas, private water intakes, and non-release aquaculture facilities).

Secondly, response strategies were developed based on the sensitive resources noted, hydrology, and climatic considerations. Individual response strategies identify the amount of boom necessary for implementation. The response strategies are then applied to Potential Spill Origins and trajectory modeling, and prioritized, taking into account factors such as resource sensitivity, feasibility, wind, and tidal conditions.

Draft strategy maps and matrices were sent out for review and consideration of strategy viability. Field verification was conducted for some strategies, and changes proposed by the participants were included in a semi-final draft, which was offered for final review to all interested parties and the participants of the field verification.

1-1 March 2003

Finally, the general text of the GRP was compiled along with the site description, reference maps, and logistical support.

# Items included in Logistical Support:

- Location of operations center for the central response organization;
- Local equipment and trained personnel;
- Local facilities and services and appropriate contacts for each;
- Site access & contacts;
- Staging areas;
- Helicopter and air support;
- Local experts;
- Volunteer organizations;
- Potential wildlife rehabilitation centers;
- Marinas, docks, piers, and boat ramps;
- Potential interim storage locations, permitting process;
- Damaged vessel safehavens;
- Vessel repairs & cleaning;
- Response times for bringing equipment in from other areas.

1-2 March 2003

#### 2. SITE DESCRIPTION

The Strait of Juan de Fuca is located in the northwest corner of Washington State along the U.S./Canadian border. The Strait is a deep water body connecting the Pacific Ocean and the inland waters of Washington State.<sup>1</sup> It is generally divided into two subregions: the outer strait - west of Ediz Hook - and the inner strait.

The outer strait supports significant populations of groundfish, clams, shrimp, sea urchins, and Dungeness crab, as well as other fisheries resources. The inner strait is also very productive and species-rich area, supporting large populations of birds, mammals, fish, and shellfish. It is one of the major habitats for marine birds on the Pacific coast of North America. Local economies are based primarily on natural resource use and tourism.

Refer to Chapter 6 for more detailed natural resource information.

## 2.1. Physical Features

The two subregions of the Strait of Juan de Fuca may include the following shoreline habitats:

Exposed rocky headlands
Wave-cut platforms
Pocket beaches along exposed rocky shores
Sand beaches
Sand and gravel beaches
Sand and cobble beaches
Exposed tidal flats
Sheltered rocky shores
Sheltered tidal flats
Sheltered marshes

Two important features within the inner strait are Ediz Hook and Dungeness Spit. They are accreted gravel spits which protect embayments. The bay inside of Ediz Hook has been dominated by commercial activity from the Port Angeles harbor. Dungeness Spit and Bay are located inside a national wildlife refuge. Activities there include oyster-farming and recreation. The extensive tideflats in this area support a diverse body of marine organisms and shorebirds<sup>2</sup>.

### 2.2. Hydrology

The Strait of Juan de Fuca is characterized hydrographically as a two-layer system. The upper 30 meter layer is relatively fresh water and the lower layer more saline. The Strait receives a large freshwater influx from the Fraser River and Puget Sound drainages. The two periods of high freshwater runoff occur during spring now melt and late fall and winter.<sup>3</sup>

2-1 March 2003

<sup>&</sup>lt;sup>1</sup> Kittle, L.J., Marine Resource Damage Assessment Report for the *Arco Anchorage* Oil Spill. (1987).

<sup>&</sup>lt;sup>2</sup> <u>Ibid.</u>

<sup>&</sup>lt;sup>3</sup> <u>Ibid.</u>

### 2.3. Currents and Tides

Tidal ranges average between four and ten feet producing strong tidal currents. Currents in the Strait may reach two to four knots, depending on tidal range and prevailing winds. North and west-facing shorelines along the Strait are subject to the largest waves and are high energy areas.<sup>4</sup>

#### **2.4.** Winds

The Strait of Juan de Fuca is affected by strong winds, most notably from the west. These winds occur when high pressure is pushing strongly behind the passage of a cold front from the west. The westerlies often reach gale force.

A strong east wind is possible when an Arctic cold front pushes south from interior British Columbia into Western Washington. These conditions may contribute to strong easterlies at certain times of year. These winds may also reach gale force.<sup>5</sup>


#### 2.5. Climate

The area has a maritime climate with cool summers and mild winters. The winds are variable and the annual precipitation rate is between 18 and 50 inches.

2-2 March 2003

<sup>&</sup>lt;sup>4</sup> Kittle, L.J. Marine Resource Damage Assessment Report for the Arco Anchorage Oil Spill. (1987).

<sup>&</sup>lt;sup>5</sup> Doug McDonnal, National Weather Service. Personal Communication. (1993)



#### 4. GENERAL PROTECTION/COLLECTION STRATEGIES

#### 4.1. Chapter Overview

This chapter details the specific response strategies and resources to protect as outlined by the participants of the GRP workshop for the Strait of Juan de Fuca area. It describes the strategies determined for each area and the prioritization of those strategies. Note that GRPs only address protection of sensitive **public** resources. It is the responsibility of private resource owners and/or potentially liable parties to address protection of private resources (such as commercial marinas, private water intakes, and non-release aquaculture facilities).

### Maps & Matrices

The maps in this chapter provide information on the specific location of booming strategies. They are designed to help the responder visualize response strategies. Details of each booming strategy are listed in corresponding matrix tables. Each matrix indicates the exact location, intent and implementation of the strategy indicated on the map. The "Status" column describes whether the strategy has been visited or tested in the field, and the date of the visit/test. Most strategies include a number for the corresponding shoreline photo, which is available on the Washington Department of Ecology's internet site at http://www.ecy.wa.gov/apps/shorephotos/.

### **Major Protection Techniques**

All response strategies fall into one of three major techniques that may be utilized either individually or in combination. The strategies listed in Section 4.2 are based on the following techniques, and are explained in detail in Section 4.3:


**Dispersants:** Washington State Policy currently does not allow use of dispersants in this area. Certain chemicals break up slicks on the water. Dispersants can decrease the severity of a spill by speeding the dissipation of certain oil types. Their use will require approval of the Unified Command. Dispersants will only be used in offshore situations under certain conditions, until further determinations are made by the Area Committee and published in the Area Contingency Plan.

In Situ Burning: Approval to burn in this area is unlikely due to the proximity of population to a potential burn site. Burning requires the authorization of the Unified Command, who determine conformance of a request to burn with the guidelines set forth in the Area Plan. This option is preferable to allowing a slick to reach the shore provided that population areas are not exposed to excessive smoke. Under the right atmospheric conditions, a burn can be safely conducted in relative close proximity to human population. This method works on many types of oil, and requires special equipment including a fire boom and igniters.

**Mechanical Recovery and Protection Strategies:** If a spill is too close to shore to use In Situ burning or dispersants, the key strategies are skimming and use of collection, diversion, or exclusion booming to contain and recover the oil, and prevent it from entering areas with sensitive wildlife and fisheries resources. These options are described in detail in Appendix A. Specific skimming strategies are not listed in the maps and matrices, but skimming should be used whenever possible and is often the primary means of recovering oil and protecting resources, especially when booming is not possible or feasible.

**Priorities:** The strategy priority tables (Section 4.2.) were developed using specific locations where spills are likely to occur. Trajectory modeling was used for each of these "Potential Spill Origins" to identify sensitive resources that would likely be impacted within the initial hours of the spill. A booming strategy priority table was developed for each of the "Potential Spill Origins" based on the sensitivity of resources, feasibility, etc. **Booming strategies should be deployed following the priority table for the "Potential Spill Origin" closest to the actual spill origin.** The map on page 4-2 shows the locations of all Potential Spill Origins for the Strait of Juan de Fuca GRP. The booming strategies indicated in the priority tables are explained in detail in the Maps & Matrices section (Section 4.3.). It is implied that control and containment at the source is the number one priority of any response. If in the responder's best judgment this is not feasible, then the priorities laid out in the priority tables take precedence over containment and control.

4-1 March 2003



# 4.2.2 BOOMING STRATEGY PRIORITY TABLES

Table 4-1

Potential Spill Ori	gin: STR-A - Wes	et of Neah Bay	
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-1	4-8	
2	STR-2	4-8	
			Refer to the Outer Coast GRP for
3	OC-3	4-3	the remaining strategies
4	OC-4a	4-3	
5	OC-4b	4-3	
6	OC-5a	4-3	
7	OC-5b	4-3	
8	OC-5c	4-3	

Table 4-2

Potential Spill Origin: STR-B - Off Shipwreck Point			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-2	4-8	
2	STR-3	4-8	
3	STR-4	4-8	
4	STR-5	4-8	
5	STR-6	4-9	
6	STR-1	4-8	
7	STR-9	4-9	
8	STR-8	4-9	
9	STR-7	4-9	

Table 4-3

Potential Spill Origin: STR-C - Off Clallum Bay			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-9	4-9	
2	STR-8	4-9	
3	STR-7	4-9	
4	STR-6	4-9	
5	STR-11	4-10	
6	STR-10	4-10	

Table 4-4

Potential Spill Origin: STR-D - Off Pillar Point			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-12	4-10	
2	STR-13	4-10	
3	STR-14	4-10	
4	STR-15	4-10	
5	STR-9	4-9	
6	STR-8	4-9	
7	STR-11	4-10	
8	STR-10	4-10	

Table 4-5

Potential Spill Orig	gin: STR-E - Off	Twin Rivers	
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-12	4-10	
2	STR-13	4-10	
3	STR-14	4-10	
4	STR-18	4-11	
5	STR-17	4-11	
6	STR-16	4-11	
7	STR-15	4-10	
8	STR-19	4-11	
9	STR-20	4-11	
10	STR-21	4-12	

Table 4-6

Potential Spill Origin: STR-F - Off the Elwha River			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-21	4-12	
2	STR-22	4-12	
3	STR-12	4-10	
4	STR-13	4-10	
5	STR-14	4-10	

Table 4-7

Potential Spill Origin: STR-G - Port Angeles Harbor, TESORO Facility			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-25a	4-13	
2	STR-25b	4-13	
3	STR-24	4-13	
4	STR-27	4-13	
5	STR-29	4-14	
6	STR-30	4-14	
7	STR-26	4-13	
8	STR-28	4-13	
9	STR-31	4-14	
10	STR-32	4-15	

Table 4-8


Potential Spill Origin: STR-H - Northeast of Port Angeles			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-24	4-13	
2	STR-29	4-14	
3	STR-30	4-14	
4	STR-31	4-14	
5	STR-25a	4-13	
6	STR-25b	4-13	
7	STR-27	4-13	
8	STR-26	4-13	
9	STR-28	4-13	
		_	


Table 4-9


Potential Spill Origin: STR-I - East of Dungeness			
BOOMING	STRATEGY	MAP PAGE	COMMENTS
PRIORITY	NUMBER	NUMBER	
1	STR-33	4-15	
2	STR-34	4-15	
3	STR-32	4-15	
4	STR-35	4-15	


Table 4-10


Potential Spill Orig	Potential Spill Origin: STR-J - Entrance to Admiralty Inlet											
BOOMING PRIORITY	STRATEGY NUMBER	MAP PAGE NUMBER	COMMENTS									
1		4-17	Any spill in this area does not affect shoreline in 12 hours. Concentrate recovery efforts on on-water recovery and consider In-situ Burning and Dispersants.									


























	4.3.2 Proposed Booming and Collection Strategies: Matrices										
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected			
STR-1	Field visit 6/00	Neah Bay CLA0439	Exclusion / Collection - Keep oil off the beach.	2000'	Deploy boom from the end of the breakwater on the east side of the marina (48°-22.093'N 124°-36.405'W) to the shoreside end of the USCG pier (48°-22.195'N 124°-35.910'W). Additional boom can be deployed from the end of the breakwater to enhance collection.	Stage from the Neah Bay Marina.	By boat from the ramp in Neah Bay. Vehicle access from Highway 112 to Neah Bay.				
STR-2	Field visit 6/00	Sail River CLA0430 48°-21.620'N 124°-33.320'W	Exclusion - Keep oil out of the river mouth.	400'	Deploy boom across the entrance to the small inlet at the mouth of the river. A small workboat or skiff will be required. Move the boom further into the inlet if heavy seas prevent deployment at the entrance.	Stage at the old campground on the south side of the inlet, or from Neah Bay.	By boat from the ramp in Neah Bay, or launch a skiff at the site. Vehicle access from Highway 112, about 2 miles southeast of Neah Bay.	Salmon.			
STR-3	Field visit 6/00	Snow Creek CLA0428 48°-21.220'N 124°-32.730'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage in the parking lot for the store and boat ramp at the creek mouth.		Coho salmon - Feb./June out- migration.			
STR-4	Field visit 6/00	Bullman Creek CLA0425 48°-20.935'N 124°-31.845'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage along Highway 112 at the creek mouth.	Vehicle access from Highway 112, Mile Post 1.5.	Coho salmon - Feb./June out- migration. Water collection point for local residents.			
STR-5	Field visit 6/00	Rasmussen Creek CLA0417 48°-19.925'N 124°-29.365'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage along Highway 112 at the creek mouth.	Vehicle access from Highway 112, Mile Post 3.9.	Coho salmon - Feb./June out- migration.			

4-18 March 2003

			4.3.2 Pi	coposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-6		Jansen Creek CLA0414 48°-19.430'N 124°-28.115'W	Exclusion - Keep oil out of the creek mouth.	100'	The creek discharges through two culverts, and the stream flow will prevent oil from entering the culverts most of the year. If the stream flow is low, block the culverts to prevent oil from entering the culverts at high tide.	Stage along Highway 112 at the creek mouth.	Vehicle access from Highway 112, Mile Post 5.1.	Coho salmon - Feb./June out- migration.
STR-7		Olsen Creek CLA0408 48°-18.355'N 124°-26.030'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage along Highway 112 at the creek mouth.	Vehicle access from Highway 112, Mile Post 7.2.	Coho salmon - Feb./June out- migration.
STR-8		Sekiu River CLA0401 48°-17.280'N 124°-23.685'W	Exclusion - Keep oil out of the river mouth.	500'	Deploy boom from land across the mouth of the river.	Stage along Highway 112 from a side road east of the bridge.	Vehicle access from Highway 112, Mile Post 9.5.	Coho salmon - Feb./June out- migration. Harbor seal haul-outs.
STR-9		Hoko River CLA0396 48°-17.255'N 124°-21.665'W	Exclusion - Keep oil out of the river mouth and estuary.	500'	Deploy boom across the mouth of the river. A skiff will be required.	Stage along Highway 112 or in the residential development on the west side of the river.	Access by boat from Sekiu. Vehicle access from Highway 112, Mile Post 10.5. Access to the river mouth by land is through private property (obtain permission) on the west side of the river.	Coho salmon - Feb./June out- migration, harbor seal haul-outs, shellfish, and archeological sites.

4-19 March 2003

			4.3.2 Pi	roposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-10		Falls Creek CLA0380 48°-15.525'N 124°-17.710'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage from the parking lot on the west side of the creek.	Vehicle access from Highway 112, Mile Post 14.8. Take the Sekiu exit and drive back to the creek through the treatment plant lot.	Chum salmon - Feb./June out- migration.
STR-11	Field visit 6/00	Clallam River CLA0374	Exclusion - Keep oil out of the river.	500'	Deploy boom as necessary to keep oil out of the river mouth and the channel behind the sand spit. The position of the river mouth is variable and can be anywhere along the sand spit.	Stage from the parking lot in the Clallam Bay County Park (closes at sunset), or from Sekiu.	Boat access from Sekiu. Vehicle access from Highway 112,	Salmon.
STR-12		Pysht River CLA0342 48°-12.420'N 124°-6.410'W	Exclusion - Keep oil out of the river and Indian Creek estuary.	500'	Deploy boom across the river at the mouth to prevent oil from being pushed into the river mouth and creek estuary at high tide. Angle the boom to direct oil to the east side of the river for possible collection.	Stage from the private road on the northeast side of the river (Pillar Point), from the Pillar Point County Park (CLA0338), or from the Jim Creek Receation Area (CLA0332).	Boat access from the Pillar Point County Park ramp (high tide only), or from the ramp at the Jim Creek Receation Area. Vehicle access from Highway 112 to the road to the river mouth at Mile Post 28.6 (for access, call Merrill & Ring at 1-800-998-2382), to the county park at Mile Post 29.8, and to the Jim Creek Rec. Area at Mile Post 31.5 (also owned by Merrill & Ring).	Shellfish, salmon, salmonid rearing habitat, and waterfowl concentrations.

4-20 March 2003

			4.3.2 Pr	roposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-13	Field visit 6/00	Pysht River CLA0342 48°-12.645'N 124°-6.480'W	Exclusion - Keep oil out of the river.	500'	Deploy boom across the river to back up STR-12. Angle the boom to direct oil to the east side of the river for possible collection.	Same as for STR-12.	Same as for STR-12.	Salmon, salmonid rearing habitat, and waterfowl concentrations.
STR-14	New strategy 1/02	Indian Creek Estuary CLA0340 48°-12.265'N 124°-6.520'W	Exclusion - Keep oil out of the creek estuary.	200'	Deploy boom across the entrance to the creek estuary. Site is dry at low tide. Use a skiff or small work boat to pull the boom across the river.	Same as for STR-12.	Same as for STR-12.	Salmon, salmonid rearing habitat, and waterfowl concentrations.
STR-15	New strategy 1/02	Butler Creek CLA0338 48°-11.955'N 124°-5.920'W	Exclusion - Keep oil out of the creek mouth.	100'	The creek discharges through a culvert, and the stream flow will prevent oil from entering the culvert most of the year. If the stream flow is low, block the culvert to prevent oil from entering the culvert at high tide.	Stage from the Pillar Point County Park.	The creek mouth is at the east end of the lower parking lot in the Pillar Point County Park. Vehicle access from Highway 112 at Mile Post 29.8.	Salmon.
STR-16	Field visit 6/00	Jim Creek CLA0332 48°-11.190'N 124°-3.760'W	Exclusion - Keep oil out of the creek mouth.	100'	The creek discharges through a culvert, and the stream flow will prevent oil from entering the culvert most of the year. If the stream flow is low, block the culvert to prevent oil from entering the culvert at high tide.	Stage from the Jim Creek Recreation Area.	The creek mouth is on the west side of the breakwater for the boat basin/ramp in the Jim Creek Recreation Area (owned by Merrill & Ring 1-800- 998-2382). Vehicle access from Highway 112 at Mile Post 31.5.	Coho salmon.

4-21 March 2003

			4.3.2 Pi	roposed Bo	ooming and Collection Strate	gies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-17		Joe Creek CLA0330 48°-10.785'N 124°-3.120'W	Exclusion - Keep oil out of the creek mouth.	100'	Deploy boom from land across the mouth of the creek.	Stage from the Jim Creek Recreation Area.	The creek mouth is 1/2 mile east of the Jim Creek Recreation Area (owned by Merrill & Ring 1-800-998-2382). Access the site on the beach from Jim Creek.	Coho salmon.
STR-18		Mouth of Deep Creek CLA0326 48°-10.485'N 124°-1.490'W	Exclusion - Keep oil out of the creek mouth.	200'	Deploy boom from land across the mouth of the creek.	Stage from a small dirt road off Highway 112 on the east side of the creek.	Vehicle access off Highway 112 at Mile Post 34.7, turn north off the highway onto a dirt road on the east side of the creek.	Shellfish, salmon, and smelt spawning.
STR-19		West Twin River CLA0315 48°-9.940'N 123°-57.080'W	Exclusion - Keep oil out of the river mouth.	200'	Deploy boom from land across the mouth of the river.	road and parking area off	Vehicle access off Highway 112 at Mile Post 38.6, turn north off the highway onto a dirt road on the east side of the West Twin River.	Shellfish, salmon, and smelt spawning.
STR-20	Field visit 6/00	East Twin River CLA0314 48°-9.970'N 123°-56.755'W	Exclusion - Keep oil out of the river mouth.	100'	Deploy boom from land across the mouth of the river. Access to the river mouth is through private property.		Vehicle access off Highway 112 at Mile Post 38.6, turn north off the highway onto a dirt road on the west side of the East Twin River.	Shellfish, salmon, and smelt spawning.

4-22 March 2003

			4.3.2 Pr	roposed B	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-21	Field visit 6/00	Lyre River CLA0295 48°-9.580'N 123°-49.645'W	Exclusion - Keep oil out of the river mouth.	300'	Deploy boom from land across the mouth of the river. Access to the river mouth is from the campground on the west side of the river. Seasonal strategy, high river flow will keep oil out of the mouth.	Stage from the Lyre River Campground; privately owned (360-928-3436).	off the highway to the	Gull congregation area for freshwater drinking and bathing, salmon, marine mammals, trout, and perch.
STR-22	Field visit 6/00	Salt Creek CLA0270 48°-9.765'N 123°-42.185'W	Exclusion - Keep oil out of the creek.	200'	Deploy boom from land across the mouth of the creek. In rough weather, deploy the boom further up the creek if necessary.	Stage from the Salt Creek County Park on the east side of the creek.	Vehicle access from Highway 112 at Mile Post 53.9 on Camp Hayden Road, or at Mile Post 51.0 on Crescent Beach Road. Both roads will lead to Salt Creek, on the east end of Crescent Bay.	
STR-23	Field visit 3/99	Elwha River CLA0241 48°-8.715'N 123°-33.965'W	Exclusion - Keep oil out of the river mouth.	1000'	Deploy boom across the mouth of the river. Necessary only with low river flow and high tide. The position of the river mouth is variable due to shifting delta sediments, and the amount of boom required will also be variable. Verify the position and size of the opening by helicopter prior to deployment if possible. A chevron is likely to be the most effective boom configuration.	Stage from the boat ramp on the west side of Freshwater Bay, from Port Angeles, or on	Boat access from the ramp in Freshwater Bay or Port Angeles. Possible vehicle access through tribal land, Lower Elwha Tribe contact 360-452-8471.	Gull congregation area for freshwater drinking and bathing, salmon, marine mammals, harlequin ducks, and urchin concentrations

4-23 March 2003

			4.3.2 Pi	roposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-24	New strategy 1/02	Ediz Hook Beach - Port Angeles Harbor CLA0207	Exclusion - Keep oil off the sand lance spawning beach.	2500'	Deploy boom from the old boat ramp on the inside beach of Ediz Hook at 48°-8.500'N 123°-25.642'W to protect as much beach as possible to the west of the boat ramp.	Stage from the parking area at the old boat ramp, or from Port Angeles.	Boat access from Port Angeles. Vehicle access from Highway 101 to Marine Drive in Port Angeles to Ediz Hook Road.	Sand lance spawning.
STR-25a	Field test 5/00	Daishowa Lagoon - Outer Strategy CLA0200 48°-8.085'N 123°-27.725'W	Exclusion - Keep oil out of the lagoon.	1000'	Deploy boom from the seawall southwest of the lagoon entrance to the shoreline to the north.	Stage from the parking area near the lagoon entrance.	Boat access from Port Angeles. Vehicle access from Highway 101 to Marine Drive in Port Angeles to Daishowa.	Lagoon, waterfowl concentrations.
STR-25b	Field test 5/00	Daishowa Lagoon - Inner Strategy CLA0197 48°-8.075'N 123°-27.780'W	Exclusion - Keep oil out of the lagoon.	200'	Deploy boom in a chevron configuration across the lagoon entrance as a back up for STR-25a.	Stage from the parking area near the lagoon entrance.	Boat access from Port Angeles. Vehicle access from Highway 101 to Marine Drive in Port Angeles to Daishowa.	Lagoon, waterfowl concentrations.
STR-26	New strategy 1/02	Tumwater Creek CLA0194 48°-7.460'N 123°-26.675'W	Exclusion - Keep oil out of the creek mouth.	200'	Deploy boom across the creek mouth.	at the creek	Boat access from Port Angeles. Vehicle access from Highway 101 to Front Street to Tumwater Street.	Salmonids.
STR-27	New strategy 1/02	Valley Creek - City Park CLA0193 48°-7.390'N 123°-26.260'W	Exclusion - Keep oil out of the creek mouth and public beach area at the mouth.	600'	Deploy boom across the entrance to the small inlet at the city park and beach at the creek mouth.	Stage from the city park.	Boat access from Port Angeles. Vehicle access from Highway 101 to Front Street.	Salmon, public park.

4-24 March 2003

	4.3.2 Proposed Booming and Collection Strategies: Matrices											
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected				
STR-28	New strategy 1/02	Peabody Creek CLA0191 48°-7.230'N 123°-25.700'W	Exclusion - Keep oil out of the creek mouth.	300'	Deploy boom across the entrance to the creek mouth, from the northern end of the riprap on the west side to the base of the pier on the east side. The boom can be deployed from land without a boat.	Stage from the parking area on the east side of the creek.	Boat access from Port Angeles. Vehicle access from Highway 101 to North Laurel Street.	Salmonids.				
STR-29	Field test 8/96	Morse Creek CLA0178 48°-7.090'N 123°-21.080'W	Exclusion - Keep oil out of the creek mouth.	400'	Deploy boom across the entrance to the creek mouth in a chevron configuration. If heavy seas prevent deployment as described, back up into the creek mouth as necessary. The back up strategy can be deployed from land without a boat.	Stage from Port Angeles, or the road on the east side of the creek.	Boat access from Port Angeles. Vehicle access from Highway 101 at Mile Post 251.7 to Strait View Drive.	Salmonids.				
STR-30		Siebert Creek CLA0166 48°-7.245'N 123°-17.305'W	Exclusion - Keep oil out of the creek mouth.	200'	Deploy boom across the entrance to the creek mouth.	Stage from Port Angeles.	Boat access from Port Angeles.	Coho salmon.				
STR-31		McDonald Creek CLA0152 48°-7.540'N 123°-13.175'W	Exclusion - Keep oil out of the creek mouth.	200'	Deploy boom across the entrance to the creek mouth.	Stage from Port Angeles.	Boat access from Port Angeles.	Coho, pink, and chum salmon.				
STR-32	Field test 8/96	Dungeness Spit CLA0131 48°-10.560'N 123°-7.680'W	Exclusion - Keep oil out of the small cove.	1000'	Deploy boom across the entrance to the small cove midway down the east side of Dungeness Spit.	Stage from the Oyster House boat ramp (CLA0113), the John Wayne Marina in Sequim Bay, or from Port Angeles.	Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. No vehicle access.	Shorebird and waterfowl concentrations.				

4-25 March 2003

			4.3.2 P	roposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-33		Outer Graveyard Spit CLA0125 48°-9.290'N 123°-8.540'W	Exclusion/ Deflection/ Collection - Keep oil out of Dungeness Bay.	2200'	Deploy boom from the southeast end of Graveyard Spit across the entrance of the bay to the Oyster House boat ramp. Collect oil at the boat ramp.	_	Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. Vehicle access to the Oyster House boat ramp from Highway 101 in Sequim to Sequim-Dungeness Way to Marine Drive.	Shorebird and waterfowl concentrations, seabirds, marine mammals, and raptors. Extensive eel grass beds and associated fauna.
STR-34	Field	Inner Graveyard Spit CLA0115 48°-9.410'N 123°-8.830'W	Exclusion - Keep oil out of Dungeness Bay.	2500'	Back up strategy for STR-33.  Deploy boom from the southwest end of Graveyard Spit across the entrance of the bay to the tip of the spit on the opposite shore.	Stage from the Oyster House	Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. Vehicle access to the Oyster House boat ramp from Highway 101 in	Shorebird and waterfowl concentrations,
STR-35	New strategy 1/02	Old Town Slough CLA0112 48°-9.060'N 123°-8.220'W	Exclusion - Keep oil out of the slough.	300'	Deploy boom from across the entrance to the slough. Boom can be deployed from land from the Oyster House boat ramp parking area (the slough is a short distance to the east of the lot).	Stage from the Oyster House boat ramp (CLA0113).	Boat access from the Oyster House ramp. Vehicle access to the Oyster House boat ramp from Highway 101 in Sequim to Sequim-Dungeness Way to Marine Drive.	Shorebird and waterfowl concentrations, marsh habitat.

4-26 March 2003

			4.3.2 P	roposed Bo	ooming and Collection Strateg	ies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-36a		West Channel of the Dungeness River Mouth CLA0111 48°-9.030'N 123°-7.925'W	Exclusion - Keep oil out of the Dungeness River.	200'	Deploy boom across the west channel of the Dungeness River as near to the mouth as possible. The position of the mouth is variable due to shifting delta sediments.		Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. Vehicle access to the Oyster House boat ramp from Highway 101 in Sequim to Sequim-Dungeness Way to Marine Drive. Potential access to the site from Marine Drive to Rivers End Road.	
STR-36b		East Channel of the Dungeness River Mouth CLA0110 48°-9.100'N 123°-7.360'W	Exclusion - Keep oil out of the Dungeness River.	200'	Deploy boom across the east channel of the Dungeness River as near to the mouth as possible. The position of the mouth is variable due to shifting delta sediments. Ensure that the boom also protects the mouth of Meadowbrook Creek that discharges under Sequim-Dungeness Way.	Stage from the Oyster House boat ramp (CLA0113).	Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. Vehicle access to the Oyster House boat ramp from Highway 101 in Sequim to Sequim-Dungeness Way to Marine Drive. Access to the site along the beach from the end of Sequim-Dungeness Way.	

4-27 March 2003

			4.3.2 Pr	roposed Bo	ooming and Collection Strateg	gies: Matrices		
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-36c		Dungeness River at Marine Drive CLA0109 48°-8.625'N 123°-7.660'W	Exclusion - Keep oil out of the	200'	Back up strategy if STR-36a&b cannot be deployed. Deploy boom across the river at the bridge on Marine Drive.	Stage from the Oyster House boat ramp (CLA0113).	Boat access from the Oyster House ramp, the John Wayne Marina, or Port Angeles. Vehicle access to the Oyster House boat ramp from Highway 101 in Sequim to Sequim-Dungeness Way to Marine Drive. Access to the site along the beach from the end of Sequim-Dungeness Way.	
STR-36d		Meadowbrook Creek CLA0109 48°-9.075'N 123°-7.265'W	Exclusion - Keep oil out of the creek.	100'	Back up strategy if STR-36a&b cannot be deployed. Deploy boom across the mouth of Meadowbrook Creek at the bridge on Sequim-Dungeness Way.	Stage along Sequim- Dungeness Way at the site.	Vehicle access from Highway 101 in Sequim to Sequim- Dungeness Way.	Salmon.
STR-37		Bell Creek Lagoon CLA0084 48°-4.960'N 123°-2.610'W	Exclusion - Keep oil out of the lagoon behind Gibson Spit.	1000'	Deploy boom across the entrance to the lagoon.	Stage from the John Wayne Marina in Sequim Bay, or the Oyster House boat ramp.	Vehicle access from Highway 101 to the Old Olympic Highway to Washington Harbor Road.	Waterfowl, salmon.

4-28 March 2003

4.3.2 Proposed Booming and Collection Strategies: Matrices								
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
STR-38		Travis Spit CLA0034 48°-4.800'N 123°-2.435'W	Diversion - Divert oil entering bay to the west channel for collection at Pitship Point.	1500'	Deploy boom from the southwestern tip of Travis Spit to the Middle Ground to direct the oil to the west and south for collection at Pitship Point. The Middle Ground is often covered at high tide.	Stage from the John Wayne Marina in Sequim Bay.	Vehicle access to the marina from Highway 101 to the Old Olympic Highway.	Waterfowl, seabirds, harbor seals, baitfish spawning beaches, shellfish, and Sequim Bay State Park.
STR-39		Middle Ground CLA0079 48°-4.500'N 123°-2.500'W	Diversion - Divert oil entering bay to the west channel for collection at Pitship Point.	1500'	Deploy boom directly south from the Middle Ground to direct the oil to the west and south for collection at Pitship Point. The Middle Ground is often covered at high tide.	John Wayne	Vehicle access to the marina from Highway 101 to the Old Olympic Highway.	Waterfowl, seabirds, harbor seals, baitfish spawning beaches, shellfish, and Sequim Bay State Park.
STR-40		Pitship Point (John Wayne Marina) CLA0076 48°-3.850'N 123°-2.340'W	Collection - Collect oil entering the bay as it is diverted by STR-37 and 38.	1300'	Deploy boom from the northeast corner of Pitship Point at a northeasterly direction to collect oil diverted by STR-38 and 39.	Stage from the John Wayne Marina in Sequim Bay.	Vehicle access to the marina from Highway 101 to the Old Olympic Highway.	Waterfowl, seabirds, harbor seals, baitfish spawning beaches, shellfish, and Sequim Bay State Park.
STR-41	New strategy 1/02	Discovery Bay - General strategy for the entire bay. 48°-3.00'N 122°-51.50'W	Exclusion/ Deflection/ Collection - Protect beaches throughout the bay.		Based on trajectories, deploy boom to protect as much of the shoreline in the bay as possible that is expected to be impacted. All beaches in the bay have high resource value.	Stage from Contractors Point in Discovery Bay (JEF0720), or from a small	By boat from the John Wayne Marina in Sequim Bay, or from Port Townsend. Vehicle access from Highway 101 near Gardiner.	All beaches in the bay are baitfish spawning habitat, shellfish.

4-29 March 2003

4.3.2 Proposed Booming and Collection Strategies: Matrices								
Strategy	Status	Location	Response Strategy	Length of Boom	Strategy Implementation	Staging Area	Site Access	Resources Protected
						Stage from		
						Contractors		
					Deploy boom across the narrowest	Point in	By boat from the John	
					part of the entrance to Port	Discovery Bay	Wayne Marina in	
					Discovery. Port Discovery becomes	(JEF0720), or	Sequim Bay, or from	
		Port Discovery			a mudflat at low tide. Deploy boom	from a small	Port Townsend.	Mudflat and marsh
		JEF0700	Exclusion - Keep		along the eastern edge of the mudflat	ramp north of	Vehicle access from	habitat, shellfish,
		47°-59.820'N	oil out of Port		so the boom remains in water at low	Gardiner	Highway 101 in Port	salmon, and
STR-42		122°-52.475'W	Discovery.	2000'	tide.	(JEF0729).	Discovery.	waterfowl.

4-30 March 2003

# **APPENDICES**

# **Appendix A: Summary of Protection Techniques**

Protection Techniques	Description	Primary Logistical Requirements	Limitations
ONSHORE			
Beach Berms	A berm is constructed along the top of the mid-inter tidal zone from sediments excavated along the downgradient side. The berm should be covered with plastic or geo-textile sheeting to minimize wave erosion.	<ul> <li>Bulldozer/Motor grader -1</li> <li>Personnel - equipment operator &amp; 1 worker</li> <li>Misc plastic or geotextile sheeting</li> </ul>	<ul> <li>High wave energy</li> <li>Large tidal range</li> <li>Strong along shore currents</li> </ul>
Geotextiles	A roll of geotextile, plastic sheeting, or other impermeable material is spread along the bottom of the supra-tidal zone & fastened to the underlying logs or stakes placed in the ground.	<ul> <li>Geotextile - 3 m wide rolls</li> <li>Personnel - 5</li> <li>Misc stakes or tie-down cord</li> </ul>	<ul> <li>Low sloped shoreline</li> <li>High spring tides</li> <li>Large storms</li> </ul>
Sorbent Barriers	A barrier is constructed by installing two parallel lines of stakes across a channel, fastening wire mesh to the stakes & filling the space between with loose sorbents.	Per 30 meters of barrier  Wire mesh - 70 m x 2 m  Stakes - 20  Sorbents - 30 m <sup>2</sup> Personnel - 2  Misc fasteners, support lines, additional stakes, etc.	<ul> <li>Waves &gt; 25 cm</li> <li>Currents &gt; 0.5 m/s</li> <li>Tidal range &gt; 2 m</li> </ul>
Inlet Dams	A dam is constructed across the channel using local soil or beach sediments to exclude oil from entering channel.	<ul> <li>Loader - 1</li> <li>Personnel - equipment operator &amp; 1 worker or several workers w/shovels</li> </ul>	<ul> <li>Waves &gt; 25 cm</li> <li>Tidal range exceeding dam height</li> <li>Freshwater outflow</li> </ul>

A-1 March 2003

NEARSHORE			
Containment Booming	Boom is deployed in a "U" shape in front of the oncoming slick. The ends of the booms are anchored by work boats or drogues. The oil is contained within the "U" & prevented from reaching the shore.	For 150 meters Slick:  Boom - 280 m  Boats - 2  Personnel - boat crews & 4 boom tenders  Misc tow lines, drogues, connectors, etc.	<ul> <li>High winds</li> <li>Swells &gt; 2 m</li> <li>Breaking waves &gt; 50 cm</li> <li>Currents &gt; 1.0 m/s</li> </ul>
Exclusion Booming	Boom is deployed across or around sensitive areas & anchored in place. Approaching oil is deflected or contained by boom.	Per 300 meters of Boom  Boats - 1  Personnel - boat crew & 3 boom tenders  Misc 6 anchors, anchor line, buoys, etc.	<ul> <li>Currents &gt; 0.5 m/s</li> <li>Breaking waves &gt; 50 cm</li> <li>Water depth &gt; 20 m</li> </ul>
Deflection Booming	Boom is deployed from the shoreline away from the approaching slick & anchored or held in place with a work boat. Oil is deflected away from shoreline.	Single Boom, 0.75 m/s knot current  Boom - 60 m  Boats - 1  Personnel - boat crew + 3  Misc 3 anchors, line, buoys, recovery unit	<ul> <li>Currents &gt; 1.0 m/s</li> <li>Breaking waves &gt; 50 cm</li> </ul>
Diversion Booming	Boom is deployed from the shoreline at an angle towards the approaching slick & anchored or held in place with a work boat. Oil is diverted towards the shoreline for recovery.	Single Boom, 0.75 m/s knot current  Boom - 60 m  boats - 1  Personnel - boat crew + 3  Misc 3 anchors, line, buoys, recovery unit	<ul> <li>Currents &gt; 1.0 m/s</li> <li>Breaking waves &gt; 50 cm</li> </ul>
Skimming	Self-propelled skimmers work back & forth along the leading edge of a windrow to recover the oil. Booms may be deployed from the front of a skimmer in a "V" configuration to increase sweep width. Portable skimmers are placed within containment booms in the area of heaviest oil concentration.	Self-propelled (None) Towed  Boom - 200 m  Boats - 2  Personnel - boat crews & 4 boom tenders  Misc tow lines, bridles, connectors, etc.  Portable  Hoses - 30 m discharge  Oil storage - 2000 liters	<ul> <li>High winds</li> <li>Swells &gt; 2 m</li> <li>Breaking waves &gt; 50 cm</li> <li>Currents &gt; 1.0 m/s</li> </ul>

A-2 March 2003

## **Appendix B: Original Geographic Response Plan Contributors**

## **Local Representatives**

Bob Minty, Jefferson County DEM Ed Bruette, Kitsap County DEM

### **Industry and Response Contractors**

John Crawford, Foss Environmental Bert Holmes, Puget Sound Pilots Ken Florian, Puget Sound Pilots Sven Eklof, Pacific Western Services Bob Rome, Pacific Link Environmental Erik Pratt, Clean Sound

Bob Wiechert, Clean Sound Mike Rice, PTPC

Tommy Cook, Clean Sound Alan Rayner, Clean Sound Chris McCartan, Clean Sound

Roland Miller, Clean Sound

Teresa Hansen, Coe-Truman Technologies

Jim Haugen, MSRC Lisa Stone, MSRC

Trip Ellison, Riedel Environmental Services

## Federal Representatives

U.S. Navy

Hayden Street K.V. Koellermeier Greg Kaufman Patricia McFadden Roberta Beery

## U.S.Fish and Wildlife Service

Ron Wong Larry Telles

### **United States Coast Guard**

Roald Bendixen Craig Petersen Bill Edgar Len Radziwanowicz Kristy Paquette

### Office of Archeology and Historic

Preservation

Rob Whitlam

### Office of Marine Safety

Roy Robertson

### Washington State Department of Ecology

Bruce Barbour Brett Manning Lin Bernhardt Jim Oberlander Hathor Woods David Mora Scott Zimmerman Nancy Carroll

### **Washington Department of Fisheries**

Brian Benson

## Washington Department of Wildlife

Barry Troutman

### **Washington State Parks**

Gus Gustafson Mike Ramsey

### **Tribal Representatives**

Steve Moddemyer, Port Gamble S'klallam Ted George, S'Klallam Tribe

#### Other

Barbara Blowers, Puget Sound Solutions

### **State Representatives**

B-1 March 2003

#### Appendix C: Geographic Response Plan Comments/Corrections/Suggestions

If you have any questions regarding this document or find any errors, please notify one of the following agencies: or use tear out sheet (page C-3)

- Washington Department of Ecology, SPPR program, Natural Resources Unit
- USCG Marine Safety Office Puget Sound, Planning Department
- USCG Marine Safety Office Portland
- Oregon Department of Environmental Quality
- Idaho Emergency Response Commission
- Environmental Protection Agency Region 10

<b>Phone Numbers:</b>		Bulletin Board System (BBS)	<b>:</b>
Washington DOE USCG MSO Puget Sound USCG MSO Portland Oregon DEQ Idaho ERC EPA	(360) 407-6972 (206) 217-6213 (503) 240-9307 (503) 229-5774 (208) 334-3263 (206) 553-6901	USCG MSO Puget Sound USCG MSO Portland	(206) 217-6216 (503) 240-9308

#### Internet/E-mail Address:

Portland, OR 97217-3992

WADOE dald461@ecy.wa.gov
OR DEQ WYLIE.Jack@deq.state.or.us
USCG MSO Puget Sound jlehto@pacnorwest.uscg.mil
USCG MSO Portland mwilcox@pacnorwest.uscg.mil
USEPA sheldrake.beth@epamail.epa.gov

### Address:

Commanding Officer Washington Department Of Ecology Office Of The Governor United States Coast Guard SPPR Program Idaho Emergency Response Commission Natural Resources Unit MSO Puget Sound 1109 Main Planning Department P.O. Box 47600 Statehouse 1519 Alaskan Way South Boise, ID 83720-7000 Olympia, WA 98504-7600 Seattle, WA 98134-1192 Commanding Officer Oregon Department of Environmental **Environmental Protection Agency** United States Coast Guard Quality **Emergency Response Branch** Planning Department 1200 Sixth Avenue Water Quality Division MSO Portland 811 SW Sixth Avenue Seattle, WA 98101 Portland, OR 97204 6767 North Basin Ave

C-1 March 2003

# Geographic Response Plan

## **Comments/Corrections/Suggestions**

#### Directions:

Fill in your name, address, agency, and phone number. Fill in the blanks regarding the location of information in the plan being commented on. Make comments in the space provided. Add extra sheets as necessary. Submit to: Dale Davis

Department of Ecology Spills Program 300 Desmond Drive P.O. Box 47600

Olympia, WA 98504-7600 dald461@ecy.wa.gov

Name:	Title:	Agency:
Address:		
City:		Zip/Postal Code:
Phone: ()	E-Mail:	
GRP:	Page	Number:
Location on page (chapter, section, parag 3):		aph
Comments:		
Commons.		

C-2 March 2003

Northwest Area Committee c/o Washington Department of Ecology Spills Program Natural Resources Unit - GRP Corrections P.O. Box 47600 Olympia, WA 98504-7600